

MUOVIRITILÄMATOT PLASTIC GRID MATS

SAFETYBEGINS UNDERYOURFEET



Nerostep has got a solution for all your floor material safety needs. Nerostep designs and manufactures high-quality and durable PVC grid mats in Finland and is proud to use the Key Flag (Avainlippu) logo as a mark of Finnish manufacture.

With more than 20 years of experience. Nerostep has created an excellent reputation as a credible and professional company who is the market leader of plastic grid in both sales and manufacturing in Finland. All the work is done at the company's own factory in Nurmijärvi, Uusimaa, Finland. This enables us to ensure the quality of products during the entire manufacturing process and respond to the special requirements of our customers at each stage of production.

Nerostep products are suitable to meet the demanding needs at home and professional use. No matter what the purpose, most of all our company wants to guarantee safety and quality to its customers. We always listen to the wishes and requests of our customers during product development. That way we can produce grid mats for as many purposes as possible.

There are several prescribed requirements regarding environmental issues for the materials used in plastic technology. Nerostep follows trade standards and directives, taking them into account when designing and manufacturing our products. Nerostep also contributes to environmental well-being and some of our products are made of raw materials that can be recycled. We can recycle the used raw material in our manufacturing process ourselves.

Ask for more about solutions to be especially designed for you!













WHY CHOOSE A PLASTIC GRID MAT?



NEROSTEP CATALOGUE 2023

PLASTIC GRID PRODUCTS	N	STANDARD	5
	\bar{N}	STOP	9
	N	SAFE-T-GRID	13
ENTRANCE PRODUCTS	N	ENTRANCE	17
	\bar{N}	BRUSH	21
	Ņ	FABRIC	25
OTHER PRODUCTS	Ŋ	SEIFTI	29
	N	UNIVERSAL	33
	Ν	PROSTAND	37





STANDARD PLASTIC GRID MAT

Smooth surfaced STANDARD mat is a comfortable flexible and secure plastic grid mat for indoor and outdoor use in areas where people walk barefoot (e.g. pool areas, saumas and dressing rooms). Because of the mat's good thermal insulation properties, it is more comfortable to walk from a hot surface (such as hot tiles in direct sunlight) to a cool place or from a cool place (concrete or tiles around a pool) to a hot place.

Very little water remains on the surface of the mat due to the convex surface strips and adequate spacing between the surface strips. The mat's excellent traction minimizes the risk of slipping. If, though, you do fall on the mat for any reason the superb flexibility of the mat minimizes the risk of injury.

As an interior decorating element, the STANDARD mat enables the variation of visual structures in a variety of different spaces. Due to its easy installation and vast colour choices it is suitable for a variety of purposes.

USES

swimming halls - pool areas - showers - dressing rooms - saunas - passage ways















TECHNICAL DETAILS / STANDARD

W600 x L10000 mm W900 x L10000 mm W1200 x L10000 mm	
W1200 x L10000 mm	
W1800 x L10000 mm	
10 STANDARD COLOURS	
	3
5 SPECIAL COLOURS	∄
OSTOPA BANGARIE PAUPIN PRINCE PIX	
pvc Weight kg/m²:	

Standard widths: 600 and 900mm. 1200 and 1800mm are supplied on demand.

Special colours and sizes are supplied on demand.

Non-slip surface: DIN 51097

C >28*

Thickness mm:



STOP PLASTIC GRID MAT

The grooved surface STOP is a flexible and secure plastic grid mat for a wide variety of purposes both indoors and outdoors. The grooved surface strips provide a very good grip when walking on it wearing shoes.

The benefits of the STOP grid mat are especially obvious when wearing shoes, for example when dealing with oils, grease, moisture, and where strong chemicals are used for cleaning. The STOP grid mat is the right choice when style is desired as well as reduced strain on the body caused by standing.

USES

balconies - kitchens - passage ways - boats - cold storage - industrial











TECHNICAL DETAILS / STOP

						1
	W600 x	L10000	mm			_
	W900 x	L10000	mm			_
	W1200	x L10000) mm			J
						1
	W1800	x I 10000) mm			
	***************************************	A E 10001	,			
	10 STAN	DARD CO	LOURS		diam'r	
	black	sand	brown	grey	transparent	
		dark blue	light blue	pres .	white	
	5 SPECI	AL COLOL	IRS			
	orange	turquolee	purple	yellow	pink	
la!		nvc		Weight ki	n/m²-	4.5

Standard widths: 600 and 900mm. 1200 and 1800mm are supplied on demand.

Use temperature *C:

Non-slip surface:

DIN 51097 DIN 51130 -30 - +70

C >34" R12 29,5

roughened (slip-proofed)

Special colours and sizes are supplied on demand.

Surface:

Thickness mm:



SAFE-T-GRID PLASTIC GRID MAT

The SAFE-T-GRID is a plastic grid mat for locations that require high durability and a strong grip. The mats can be easily used to cover large floor surfaces in style. The easy installation allows the usage of SAFE-T-GRID in many applications.

SAFE-T-GRID is best suited to places with high foot traffic and heavy loads on the surface.

With its flexible and strong grid structure SAFE-T-GRID is an excellent choice for industrial uses when you want to protect the objects handled from any dirt and wear the base structure may cause. SAFE-T-GRID is a great floor structure because it can take point loads well.

USES

industrial - car washes - garages - balconies ice sports - water sports - boats













TECHNICAL DETAILS / SAFE-T-GRID

W600 x L10000 mm W900 x L10000 mm W1200 x L10000 mm W1800 x L10000 mm

5 STANDARD COLOURS

14.5











Material: Surface: roughened Thickness mm:

Weight kg/m2: Use temperature *C:

-30 - +70

Non-slip surface: DIN 51097 DIN 51130

C >34* R12 31.8

Standard widths: 900 and 1200mm. 600 and 1800mm are supplied on demand. Special colours and sizes are supplied on demand.

·



ENTRANCE MAT

The Finnish ENTRANCE grid mat is a durable plastic dust control mat for indoor and outdoor use. The ENTRANCE mat is best suited to entrances of public premises, commercial and industrial properties, commonholds and shopping centres.

The ENTRANCE mat is an excellent choice for entrances to help loosen dirt particles from the soles of shoes. The loosened dirt falls between the gaps of the surface grid under the mat and is not spread indoors. The cleaning characteristics of the mat are good.

The flexible design of the ENTRANCE mat also allows it to be used for covering uneven floor surfaces. The mat does not make any disturbing noises even when it is moved frequently as a result of the elastic plastic frame.

USES entrances - vestibules









TECHNICAL DETAILS / ENTRANCE





Material:	pvc
Surface:	roughened
Thickness mm:	14,5
Weight kg/m²:	7,9
Use temperature *C:	-30 - +70
Non-slip surface:	
DIN 51097	C >34"
DIN 51130	R12 31,8

Standard width: 1800mm. 600, 900 and 1200mm are supplied on demand. Special colours and sizes are supplied on demand.



BRUSH ENTRANCE MAT

The Finnish BRUSH mat is a durable, plastic framed dust control mat for indoor and outdoor use. The BRUSH mat is best suited to entrances of public premises, commercial and industrial properties, commonholds and shopping centres.

The BRUSH mat's 20mm wide brush sections and the surface grid of the mat frame help loosen dirt particles from the shoe soles. The loosened dirt falls between the gaps of the surface grid under the mat and is not spread indoors. The cleaning abilities of the mat are excellent.

The flexible structure of the BRUSH mat also enables it to be used for covering uneven floor surfaces. The mat does not make any disturbing noises even when it is moved frequently as a result of the elastic plastic frame.

USES entrances - vestibules









TECHNICAL DETAILS / BRUSH















Material: Mat frame

Material: Brush profile pe-pvc / nylon Surface: roughened/brush

Thickness mm: Weight kg/m2:

12 Use temperature *C: -30 - +70

Non-slip surface:

DIN 51097 DIN 51130 C >34" R12 31.8

Standard width: 1800mm. 600, 900 and 1200mm are supplied on demand. Special colours and sizes are supplied on demand.



FABRIC ENTRANCE MAT

The Finnish FABRIC mat is a durable, plastic frame dust control mat for indoor use. The FABRIC mat is best suited to entrances of public premises, commercial and industrial properties, commonholds and shopping centres.


The 20mm wide fabric profiles of the FABRIC mat together with the surface grid of the frame loosen dirt particles and dry moisture from the shoe soles. The loosened dirt falls between the gaps of the surface grid under the mat and is not spread indoors. The fabric strips dry moisture from shoe soles. The drying characteristics of the mat are excellent.

The flexible design of the FABRIC mat also allows it to be used for covering uneven floor surfaces. The mat does not make any disturbing noises even when it is moved frequently as a result of the elastic plastic frame.

USES entrances - vestibules









TECHNICAL DETAILS / FABRIC















Material: Mat frame

-30 - +70

Material: polyamide fibre Fabric strip

Surfae: roughened/fabric Thickness mm: 14,5 Weight kg/m2: 7.9

Use temperature "C: Non-slip surface:

DIN 51097 DIN 51130 C >34" B12 31.8

Standard width: 1800mm. 600, 900 and 1200mm are supplied on demand. Special colours and sizes are supplied on demand.



SEIFTI DOORMAT

The Finnish SEIFTI doormat is a stylish and durable choice for a door entry. The mat comes in three sizes (S, M and L) which are suitable for most door widths. It's easy to cut the mat to the desired size.

Mud and dirt comes off easily due to the grid mat's structure and rough surface and inconspicuously hides it by the door entrance and is not spread indoors.

USES door mat











TECHNICAL DATA / SEIFTI



W600 x L400 mm



W900 x L600 mm



W1200 x L800 mm





Material:



Surface:	roughene
hickness mm:	14,5
Veight kg/m²:	7,8
Jse temperature "C:	-30 - +70
Von-slip surface:	
DIN 51097	C >34"



UNIVERSAL MAT

The Finnish UNIVERSAL mat is a clear and sustainable choice for hobby, work, home and leisure needs. The mat can be used for a wide range of purposes due to the ease of adjusting and cutting.

USES

Work stations - outdoor summer kitchens - boats - bathrooms entrances car boot covers - surface for reducing jolting of machinery and equipment













TECHNICAL DETAILS / UNIVERSAL



W600 x L750 mm



Material:	recycled pvo
Surface:	roughened
Thickness mm:	11
Weight kg:	1,9
Use temperature *C:	-30 - +70
Non-slip surface:	
DIN 51097 DIN 51130	C >34" B12 29.5

Special colours and sizes are supplied on demand.



PROSTAND WORK STATION MAT

The work station mal PROSTAND is a secure choice for work stations where employees stand most of the time as one individual element or in larger numbers for larger work stations. The double flexibility of the grid structure and the optimal material make the work station mat PROSTAND a very ergonomical, well-being product for work, and the stepping surface is always dry even at a wet work station.

PROSTAND work station mats are available in three different flexibility forms (WARM, NORMAL and COLD). The right mat should be chosen according to the temperature of the work station so that the optimal flexibility and ergonomic nature of the mat are maintained. The COLD mat sustains its flexibility down to -30 Celsius degrees; the WARM mat up to as much as +80 degrees Celsius.

USES Surfaces to stand on - work station mats













warm spaces





normal temperature spaces







TECHNICAL DETAILS / PROSTAND

W900 x L10000 mm

W900 x L600 mm

3 STANDARD COLOURS







Material:

pvc mixture

Surface: Thickness mm: roughened 12

Weight kg/m²: Use temperature "C:

4,6

WARM NORMAL COLD

+30 - +80 +05 - +30 -30 - +5

Non-slip surface: DIN 51097 DIN 51130

C >34° R12 29,5

NEROSTEP

MEKAANIKONTIE 2 01800 KLAUKKALA FINLAND +358 9 879 5736 INFO@NEROSTEP.FI WWW.NEROSTEP.COM

